

PLEASE AMEND THIS APPLICATION AS FOLLOWS:

In the Claims:

Amend claims 283, 284, 285, 286, 287, 288, 289, 290, 312, 318, 330, 360, 361, 411 and 413-414 as follows:

Claim 283, penultimate line, after "one or more" and before "signal generating portions" insert -- non-radioactive -- .

Claim 284, penultimate line, after "one or more" and before "signal generating portions" insert -- non-radioactive -- .

Claim 285, last line, after "more" and before "signal generating portions" insert -- non-radioactive -- .

Claim 286, last line, after "more" and before "signal generating portions" insert -- non-radioactive -- .

Claim 287, penultimate line, after "one or more" and before "signal generating portions" insert -- non-radioactive -- .

Claim 288, penultimate line, after "one or more" and before "signal" insert -- non-radioactive -- .

Claim 289, last line, after "one or more" and before "signal generating portions" insert -- non-radioactive -- .

Claim 290, penultimate line, after "one or more" and before "signal generating portions" insert -- non-radioactive -- .

312. (Twice Amended) The composition according to claim [311] 310 wherein said [modified] oligo- or polynucleotide comprises one or more nucleotides modified on the sugar, phosphate, base, or combinations thereof.

12

318. (Amended) The composition according to claim [317] 316, wherein said [modified] oligo or polynucleotide comprises one or more nucleotides modified on the sugar, phosphate, base or combinations thereof.

13

330. (Twice Amended) The composition according to claim [329] 327, wherein said [modified] oligo- or polynucleotide comprises one or more nucleotides modified on the sugar, phosphate, base or combinations thereof.

Claim 360, penultimate line, after "one or more" and before "signal generating portions" insert -- non-radioactive -- .

Claim 361, penultimate line, after "segments, and" and before "one or more polynucleotides" insert -- non-radioactive -- .

Claim 411, penultimate line, after "more" and before "signal generating portions" insert -- non-radioactive -- .

Claim 413, penultimate line, after "one or more" and before "signal" insert -- non-radioactive -- .

Claim 414, penultimate line, after "one or more" and before "signal generating portions" insert -- non-radioactive -- .

Add new claims 464-505 as follows:

-- 464. (NEW) A composition of matter comprising:

366
44
44
44
a first part which comprises a molecular bridging entity comprising a first portion capable of recognizing and binding to or hybridizing with a molecularly recognizable portion on an analyte, said analyte molecularly recognizable portion comprising a biological system selected from the group consisting of a virus or a viral component thereof and a cell or a cellular component thereof, said cell or cellular component thereof comprising a bacterium or a bacterial component thereof, said first portion being selected from the group consisting of an antigen, a polyclonal or a monoclonal antibody, a hormone, a receptor, an enzyme, an allosteric effector, an enzyme substrate, an enzyme cofactor, a protein and a protein receptor, and a second portion comprising one or more nucleic acid sequences or segments; and

a second part which comprises one or more signalling entities substantially incapable of binding to or hybridizing with the molecularly recognizable portion on said analyte, each such entity comprising a nucleic acid portion capable of binding to or hybridizing with said bridging entity nucleic acid second portion, and one or more signal generating portions capable of directly or indirectly providing a detectable signal, said direct signal providing signal generating portion being selected from the group consisting of a fluorogenic compound, a phosphorescent compound, a chromogenic compound, a chemiluminescent compound, an electron dense compound, an enzyme, and said indirect signal providing signal generating portion being selected from the group consisting of an antibody, an antigen, a hapten, a receptor, a ligand, an enzyme, a polynucleotide sequence capable of recognizing a signal-containing moiety, and a compound capable of binding to an insoluble phase. --

-- 465. (NEW) A composition of matter comprising:

Sub
H4
a first part which comprises an analyte having one or more molecularly recognizable portions thereon, said analyte molecularly recognizable portion comprising a biological system selected from the group consisting of a virus or a viral component thereof and a cell or a cellular component thereof, said cell or cellular component thereof comprising a bacterium or a bacterial component thereof;

2nd
a second part which comprises a molecular bridging entity comprising a first portion capable of recognizing and binding to or hybridizing with said molecularly recognizable analyte portion, said first portion being selected from the group consisting of an antigen, a polyclonal or a monoclonal antibody, a hormone, a receptor, an enzyme, an allosteric effector, an enzyme substrate, an enzyme cofactor, a protein and a protein receptor, and a second portion comprising one or more nucleic acid sequences or segments; and

3rd
a third part which comprises one or more signalling entities substantially incapable of binding to or hybridizing with the molecularly recognizable portion or portions on said analyte, each such entity comprising a nucleic acid portion capable of binding to or hybridizing with said bridging entity nucleic acid second portion, and one or more signal generating portions capable of directly or indirectly providing a detectable signal, said direct signal providing signal generating portion being selected from the group consisting of a fluorogenic compound, a phosphorescent compound, a chromogenic compound, a chemiluminescent compound, an electron dense compound, an enzyme, and said indirect signal providing signal generating portion being selected from the group consisting of an antibody, an antigen, a hapten, a receptor, a ligand, an enzyme, a polynucleotide sequence capable of recognizing a signal-containing moiety, and a compound capable of binding to an insoluble phase. --

-- 466. (NEW) A composition of matter comprising:

a complex which comprises:

sub H4
214
cont

a molecular bridging entity comprising a first portion capable of recognizing and binding to or hybridizing with a molecularly recognizable portion on an analyte, said analyte molecularly recognizable portion comprising a biological system selected from the group consisting of a virus or a viral component thereof and a cell or a cellular component thereof, said cell or cellular component thereof comprising a bacterium or a bacterial component thereof, said first portion being selected from the group consisting of an antigen, a polyclonal or a monoclonal antibody, a hormone, a receptor, an enzyme, an allosteric effector, an enzyme substrate, an enzyme cofactor, a protein and a protein receptor, and a second portion comprising one or more nucleic acid sequences or segments; and

one or more signalling entities substantially incapable of binding to or hybridizing with the molecularly recognizable portion on said analyte, each such entity comprising a nucleic acid portion capable of binding to or hybridizing with said bridging entity nucleic acid second portion, and one or more signal generating portions capable of directly or indirectly providing a detectable signal, said direct signal providing signal generating portion being selected from the group consisting of a fluorogenic compound, a phosphorescent compound, a chromogenic compound, a chemiluminescent compound, an electron dense compound, an enzyme, and said indirect signal providing signal generating portion being selected from the group consisting of an antibody, an antigen, a hapten, a receptor, a ligand, an enzyme, a polynucleotide sequence capable of recognizing a signal-containing moiety, and a compound capable of binding to an insoluble phase. --

-- 467. (NEW) A composition of matter comprising:

a complex which comprises:

an analyte having one or more molecularly recognizable portions thereon;

a molecular bridging entity comprising a first portion capable of recognizing and binding to or hybridizing with said molecularly recognizable analyte portion, said analyte molecularly recognizable portion comprising a biological system selected from the group consisting of a virus or a viral component thereof and a cell or a cellular component thereof, said cell or cellular component thereof comprising a bacterium or a bacterial component thereof, said first portion being selected from the group consisting of an antigen, a polyclonal or a monoclonal antibody, a hormone, a receptor, an enzyme, an allosteric effector, an enzyme substrate, an enzyme cofactor, a protein and a protein receptor, and a second portion comprising one or more nucleic acid sequences or segments; and

one or more signalling entities substantially incapable of binding to or hybridizing with the molecularly recognizable portion on said analyte, each such entity comprising a nucleic acid portion capable of binding to or hybridizing with said bridging entity nucleic acid second portion, and one or more signal generating portions capable of directly or indirectly providing a detectable signal, said direct signal providing signal generating portion being selected from the group consisting of a fluorogenic compound, a phosphorescent compound, a chromogenic compound, a chemiluminescent compound, an electron dense compound, an enzyme, and said indirect signal providing signal generating portion being selected from the group consisting of an antibody, an antigen, a hapten, a receptor, a ligand, an enzyme, a polynucleotide sequence capable of recognizing a signal-containing moiety, and a compound capable of binding to an insoluble phase. --

sub
H4
7/4
cont

-- 468. (NEW) A composition of matter comprising:

sub
H4
gff
cont

a first part which comprises more than one molecular bridging entity, each such entity comprising a first portion capable of recognizing and binding to or hybridizing with a molecularly recognizable portion on an analyte, said analyte molecularly recognizable portion comprising a biological system selected from the group consisting of a virus or a viral component thereof and a cell or a cellular component thereof, said cell or cellular component thereof comprising a bacterium or a bacterial component thereof, said first portion being selected from the group consisting of an antigen, a polyclonal or a monoclonal antibody, a hormone, a receptor, an enzyme, an allosteric effector, an enzyme substrate, an enzyme cofactor, a protein and a protein receptor, and a second portion comprising one or more nucleic acid sequences or segments; and

a second part which comprises one or more signalling entities substantially incapable of binding to or hybridizing with the molecularly recognizable portion on said analyte, each such entity comprising a nucleic acid portion capable of binding to or hybridizing with said more than one bridging entity nucleic acid second portion, and one or more signal generating portions capable of directly or indirectly providing a detectable signal, said direct signal providing signal generating portion being selected from the group consisting of a fluorogenic compound, a phosphorescent compound, a chromogenic compound, a chemiluminescent compound, an electron dense compound, an enzyme, and said indirect signal providing signal generating portion being selected from the group consisting of an antibody, an antigen, a hapten, a receptor, a ligand, an enzyme, a polynucleotide sequence capable of recognizing a signal-containing moiety, and a compound capable of binding to an insoluble phase. --

-- 469. (NEW) A composition of matter comprising:

a first part which comprises an analyte having one or more molecularly recognizable portions thereon;

a second part which comprises more than one molecular bridging entity, each such entity comprising a first portion capable of recognizing and binding to or hybridizing with said molecularly recognizable analyte portion, said analyte molecularly recognizable portion comprising a biological system selected from the group consisting of a virus or a viral component thereof and a cell or a cellular component thereof, said cell or cellular component thereof comprising a bacterium or a bacterial component thereof, said first portion being selected from the group consisting of an antigen, a polyclonal or a monoclonal antibody, a hormone, a receptor, an enzyme, an allosteric effector, an enzyme substrate, an enzyme cofactor, a protein and a protein receptor, and a second portion comprising one or more nucleic acid sequences or segments; and

a third part which comprises one or more signalling entities substantially incapable of binding to or hybridizing with the molecularly recognizable portion on said analyte, each such entity comprising a nucleic acid portion capable of binding to or hybridizing with said more than one bridging entity nucleic acid second portion, and one or more signal generating portions capable of directly or indirectly providing a detectable signal, said direct signal providing signal generating portion being selected from the group consisting of a fluorogenic compound, a phosphorescent compound, a chromogenic compound, a chemiluminescent compound, an electron dense compound, an enzyme, and said indirect signal providing signal generating portion being selected from the group consisting of an antibody, an antigen, a hapten, a receptor, a ligand, an enzyme, a polynucleotide sequence capable of recognizing a signal-containing moiety, and a compound capable of binding to an insoluble phase. --

Sub
H4
H4
cont

-- 470. (NEW) A composition of matter comprising:
a complex which comprises:

Sub
H4
X
cont

more than one molecular bridging entity, each such entity comprising a first portion capable of recognizing and binding to or hybridizing with a molecularly recognizable portion on an analyte, said analyte molecularly recognizable portion comprising a biological system selected from the group consisting of a virus or a viral component thereof and a cell or a cellular component thereof, said cell or cellular component thereof comprising a bacterium or a bacterial component thereof, said first portion being selected from the group consisting of an antigen, a polyclonal or a monoclonal antibody, a hormone, a receptor, an enzyme, an allosteric effector, an enzyme substrate, an enzyme cofactor, a protein and a protein receptor, and a second portion comprising one or more nucleic acid sequences or segments; and

one or more signalling entities substantially incapable of binding to or hybridizing with the molecularly recognizable portion on said analyte, each such entity comprising a nucleic acid portion capable of binding to or hybridizing with said more than one bridging entity nucleic acid second portion, and one or more signal generating portions capable of directly or indirectly providing a detectable signal, said direct signal providing signal generating portion being selected from the group consisting of a fluorogenic compound, a phosphorescent compound, a chromogenic compound, a chemiluminescent compound, an electron dense compound, an enzyme, and said indirect signal providing signal generating portion being selected from the group consisting of an antibody, an antigen, a hapten, a receptor, a ligand, an enzyme, a polynucleotide sequence capable of recognizing a signal-containing moiety, and a compound capable of binding to an insoluble phase. --

-- 471. (NEW) A composition of matter comprising:

a complex which comprises:

an analyte having one or more molecularly recognizable portions thereon;

more than one molecular bridging entity, each such entity comprising a first portion capable of recognizing and binding to or hybridizing with said molecularly recognizable analyte portion, said analyte molecularly recognizable portion comprising a biological system selected from the group consisting of a virus or a viral component thereof and a cell or a cellular component thereof, said cell or cellular component thereof comprising a bacterium or a bacterial component thereof, said first portion being selected from the group consisting of an antigen, a polyclonal or a monoclonal antibody, a hormone, a receptor, an enzyme, an allosteric effector, an enzyme substrate, an enzyme cofactor, a protein and a protein receptor, and a second portion comprising one or more nucleic acid sequences or segments; and

one or more signalling entities substantially incapable of binding to or hybridizing with the molecularly recognizable portion on said analyte, each such entity comprising a nucleic acid portion capable of binding to or hybridizing with said more than one bridging entity nucleic acid second portion, and one or more signal generating portions capable of directly or indirectly providing a detectable signal, said direct signal providing signal generating portion being selected from the group consisting of a fluorogenic compound, a phosphorescent compound, a chromogenic compound, a chemiluminescent compound, an electron dense compound, an enzyme, and said indirect signal providing signal generating portion being selected from the group consisting of an antibody, an antigen, a hapten, a receptor, a ligand, an enzyme, a polynucleotide sequence capable of recognizing a signal-containing moiety, and a compound capable of binding to an insoluble phase. --

-- 472. (NEW) A composition of matter comprising:

sub
H4
H4
cont

a first part which comprises a molecular bridging entity comprising a first portion capable of recognizing and binding to or hybridizing with a molecularly recognizable portion on an analyte, said analyte molecularly recognizable portion comprising a biological system selected from the group consisting of a virus or a viral component thereof and a cell or a cellular component thereof, said cell or cellular component thereof comprising a bacterium or a bacterial component thereof, said first portion being selected from the group consisting of an antigen, a polyclonal or a monoclonal antibody, a hormone, a receptor, an enzyme, an allosteric effector, an enzyme substrate, an enzyme cofactor, a protein and a protein receptor, and a second portion comprising one or more nucleic acid sequences or segments; and

a second part which comprises one or more signalling entities substantially incapable of binding to or hybridizing with the molecularly recognizable portion on said analyte, each such entity comprising a nucleic acid portion capable of binding to or hybridizing with said bridging entity nucleic acid second portion, and one or more chemically modified or artificially altered polynucleotides capable of directly or indirectly providing a detectable signal, said direct signal providing signal generating portion being selected from the group consisting of a fluorogenic compound, a phosphorescent compound, a chromogenic compound, a chemiluminescent compound, an electron dense compound, an enzyme, and said indirect signal providing signal generating portion being selected from the group consisting of an antibody, an antigen, a hapten, a receptor, a ligand, an enzyme, a polynucleotide sequence capable of recognizing a signal-containing moiety, and a compound capable of binding to an insoluble phase. --

-- 473. (NEW) A composition of matter comprising:

a complex which comprises:

sub
H4
H4
cont

a molecular bridging entity comprising a first portion capable of recognizing and binding to or hybridizing with a molecularly recognizable portion on an analyte, said analyte molecularly recognizable portion comprising a biological system selected from the group consisting of a virus or a viral component thereof and a cell or a cellular component thereof, said cell or cellular component thereof comprising a bacterium or a bacterial component thereof, said first portion being selected from the group consisting of an antigen, a polyclonal or a monoclonal antibody, a hormone, a receptor, an enzyme, an allosteric effector, an enzyme substrate, an enzyme cofactor, a protein and a protein receptor, and a second portion comprising one or more nucleic acid sequences or segments; and

one or more signalling entities substantially incapable of binding to or hybridizing with the molecularly recognizable portion on said analyte, each such entity comprising a nucleic acid portion capable of binding to or hybridizing with said bridging entity nucleic acid second portion, and one or more chemically modified or artificially altered polynucleotides capable of directly or indirectly providing a detectable signal, said direct signal providing signal generating portion being selected from the group consisting of a fluorogenic compound, a phosphorescent compound, a chromogenic compound, a chemiluminescent compound, an electron dense compound, an enzyme, and said indirect signal providing signal generating portion being selected from the group consisting of an antibody, an antigen, a hapten, a receptor, a ligand, an enzyme, a polynucleotide sequence capable of recognizing a signal-containing moiety, and a compound capable of binding to an insoluble phase. --

-- 474. (NEW) A composition of matter comprising:

sub
H4
H4
cont
a first part which comprises an analyte having one or more molecularly recognizable portions thereon, said analyte molecularly recognizable portion comprising a biological system selected from the group consisting of a virus or a viral component thereof and a cell or a cellular component thereof, said cell or cellular component thereof comprising a bacterium or a bacterial component thereof;

a second part which comprises a molecular bridging entity comprising a first portion capable of recognizing and binding to or hybridizing with a molecularly recognizable portion on an analyte, said first portion being selected from the group consisting of an antigen, a polyclonal or a monoclonal antibody, a hormone, a receptor, an enzyme, an allosteric effector, an enzyme substrate, an enzyme cofactor, a protein and a protein receptor, and a second portion comprising one or more nucleic acid sequences or segments; and

a third part which comprises one or more signalling entities substantially incapable of binding to or hybridizing with the molecularly recognizable portion on said analyte, each such entity comprising a nucleic acid portion capable of binding to or hybridizing with said bridging entity nucleic acid second portion, and one or more chemically modified or artificially altered polynucleotides capable of directly or indirectly providing a detectable signal, said direct signal providing signal generating portion being selected from the group consisting of a fluorogenic compound, a phosphorescent compound, a chromogenic compound, a chemiluminescent compound, an electron dense compound, an enzyme, and said indirect signal providing signal generating portion being selected from the group consisting of an antibody, an antigen, a hapten, a receptor, a ligand, an enzyme, a polynucleotide sequence capable of recognizing a signal-containing moiety, and a compound capable of binding to an insoluble phase. --

-- 475. (NEW) A composition of matter comprising:

a complex which comprises:

an analyte having one or more molecularly recognizable portions thereon;

sub H4
cont

a molecular bridging entity comprising a first portion capable of recognizing and binding to or hybridizing with a molecularly recognizable portion on an analyte, said analyte molecularly recognizable portion comprising a biological system selected from the group consisting of a virus or a viral component thereof and a cell or a cellular component thereof, said cell or cellular component thereof comprising a bacterium or a bacterial component thereof, said first portion being selected from the group consisting of an antigen, a polyclonal or a monoclonal antibody, a hormone, a receptor, an enzyme, an allosteric effector, an enzyme substrate, an enzyme cofactor, a protein and a protein receptor, and a second portion comprising one or more nucleic acid sequences or segments; and

one or more signalling entities substantially incapable of binding to or hybridizing with the molecularly recognizable portion on said analyte, each such entity comprising a nucleic acid portion capable of binding to or hybridizing with said bridging entity nucleic acid second portion, and one or more chemically modified or artificially altered polynucleotides capable of directly or indirectly providing a detectable signal, said direct signal providing signal generating portion being selected from the group consisting of a fluorogenic compound, a phosphorescent compound, a chromogenic compound, a chemiluminescent compound, an electron dense compound, an enzyme, and said indirect signal providing signal generating portion being selected from the group consisting of an antibody, an antigen, a hapten, a receptor, a ligand, an enzyme, a polynucleotide sequence capable of recognizing a signal-containing moiety, and a compound capable of binding to an insoluble phase. --

-- 476. (NEW) The composition according to any of claims 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474 or 475, wherein said nucleic acid sequences or segments in the molecular bridging entity second portion, or said signalling entity nucleic acid portion, or both, are derived from the group consisting of a T even phage, a filamentous phage, and a M13 phage or an M13 phage variant. --

yd
cont

-- 477. (NEW) The composition according to any of claims 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474 or 475, wherein the ratio of the nucleic acid sequences or segments in the second portion to the first portion of the molecular bridging entity is selected from the group consisting of a number greater than 5 and a number greater than 10, and wherein the ratio of the signal generating portions or the one or more chemically modified or artificially altered polynucleotides to the nucleic acid portion in any or all of the signalling entities is selected from the group consisting of a number greater than 5 and a number greater than 10. --

-- 478. (NEW) The composition according to claim 477, wherein both the ratio of the nucleic acid sequences or segments in the second portion to the first portion of the molecular bridging entity, and the ratio of the signal generating portions or the one or more chemically modified or artificially altered polynucleotides to the nucleic acid portion in any or all of the signalling entities is selected from the group consisting of a number greater than 1, a number greater than 5 and a number greater than 10. --

sub
H5
44
cont

-- 479. (NEW) A kit for the detection in a sample of an analyte having one or more molecularly recognizable portions thereon, comprising as components thereof:

- (i) a container carrying a molecular bridging entity comprising a first portion capable of recognizing and binding to or hybridizing with said molecularly recognizable portion on said analyte, and a second portion comprising one or more nucleic acid sequences or segments; and
- (ii) a container carrying more than one signalling entity, each such entity comprising a nucleic acid portion capable of binding to or hybridizing with said bridging entity second portion nucleic acid sequence or segment, and one or more signal generating portions, each such portion being capable of providing a detectable signal;

wherein the ratio of the nucleic acid sequences or segments in the second portion to the first portion of the molecular bridging entity is selected from a number greater than 5 and a number greater than 10; or

wherein both the ratio of the nucleic acid sequences or segments in the second portion to the first portion of the molecular bridging entity and the ratio of the signal generating portions to the nucleic acid portion in any or all of the signalling entities is selected from a number greater than 1, a number greater than 5 and a number greater than 10. --

sub
H 5
yff
cont

-- 480. (NEW) A kit for the detection in a sample of an analyte having one or more molecularly recognizable portions thereon, comprising as components thereof:
a container carrying a complex which comprises:

a molecular bridging entity comprising a first portion capable of recognizing and binding to or hybridizing with said molecularly recognizable portion, and a second portion comprising one or more nucleic acid sequences or segments; and

more than one signalling entity, each such entity comprising a nucleic acid portion capable of binding to or hybridizing with said bridging entity second portion, and one or more signal generating portions, each such portion being capable of providing a detectable signal;

wherein the ratio of the nucleic acid sequences or segments in the second portion to the first portion of the molecular bridging entity is selected from a number greater than 5 and a number greater than 10; or

wherein both the ratio of the nucleic acid sequences or segments in the second portion to the first portion of the molecular bridging entity and the ratio of the signal generating portions to the nucleic acid portion in any or all of the signalling entities is selected from a number greater than 1, a number greater than 5 and a number greater than 10. --

Pergolizzi et al.

Serial No.: 08/479,995

Filed: June 7, 1995

Page 19 (Amendment Under 37 C.F.R. § 1.116 – June 29, 1998)

Sub
H5
44
con

-- 481. (NEW) A kit for the detection in a sample of an analyte having one or more molecularly recognizable portions thereon, comprising as components thereof:

a container carrying more than one molecular bridging entity, each such entity comprising a first portion capable of recognizing and binding to or hybridizing with molecularly recognizable portion on an analyte, and a second portion comprising one or more nucleic acid sequences or segments; and

a container carrying more than one signalling entity, each such entity comprising a nucleic acid portion capable of binding to or hybridizing with said bridging entity nucleic acid second portion to form a polynucleotide hybrid, and one or more signal generating portions capable of providing a detectable signal;

wherein the ratio of the nucleic acid sequences or segments in the second portion to the first portion of the molecular bridging entity is selected from a number greater than 5 and a number greater than 10; or

wherein both the ratio of the nucleic acid sequences or segments in the second portion to the first portion of the molecular bridging entity and the ratio of the signal generating portions to the nucleic acid portion in any or all of the signalling entities is selected from a number greater than 1, a number greater than 5 and a number greater than 10. --

Pergolizzi et al.

Serial No.: 08 479,995

Filed: June 7, 1995

Page 20 (Amendment Under 37 C.F.R. §1.116 - June 29, 1998)

-- 482. (NEW) A kit for the detection in a sample of an analyte having one or more molecularly recognizable portions thereon, comprising as components thereof:

more than one molecular bridging entity, each such entity comprising a first portion capable of recognizing and binding to or hybridizing with a molecularly recognizable portion on an analyte, and a second portion comprising one or more nucleic acid sequences or segments; and

more than one signalling entity, each such entity comprising a nucleic acid portion capable of binding to or hybridizing with said bridging entity nucleic acid second portion, and one or more signal generating portions capable of providing a detectable signal;

wherein the ratio of the nucleic acid sequences or segments in the second portion to the first portion of the molecular bridging entity is selected from a number greater than 5 and a number greater than 10; or

wherein both the ratio of the nucleic acid sequences or segments in the second portion to the first portion of the molecular bridging entity and the ratio of the signal generating portions to the nucleic acid portion in any or all of the signalling entities is selected from a number greater than 1, a number greater than 5 and a number greater than 10. --

Sub
H5

14
7
COT

Sub
H-5
#4
cont

-- 483. (NEW) A kit for the detection in a sample of an analyte having one or more molecularly recognizable portions thereon, comprising as components thereof: a complex which comprises:

- (i) more than one molecular bridging entity, each such entity comprising a first portion capable of recognizing and binding to or hybridizing with a molecularly recognizable portion on an analyte, and a second portion comprising one or more nucleic acid sequences or segments; and
- (ii) more than one signalling entity, each such entity comprising a nucleic acid portion capable of binding to or hybridizing with said bridging entity nucleic acid second portion, and one or more signal generating portions capable of providing a detectable signal;

wherein the ratio of the nucleic acid sequences or segments in the second portion to the first portion of the molecular bridging entity is selected from a number greater than 5 and a number greater than 10; or

wherein both the ratio of the nucleic acid sequences or segments in the second portion to the first portion of the molecular bridging entity and the ratio of the signal generating portions to the nucleic acid portion in any or all of the signalling entities is selected from a number greater than 1, a number greater than 5 and a number greater than 10. --

-- 484. (NEW) A kit for the detection in a sample of an analyte having one or more molecularly recognizable portions thereon, comprising as components thereof:

sub
H 5
a molecular bridging entity comprising a first portion capable of recognizing and binding to or hybridizing with a molecularly recognizable portion on an analyte, and a second portion comprising one or more nucleic acid sequences or segments; and
cyl
more than one signalling entity, each such entity comprising a nucleic acid portion capable of binding to or hybridizing with said bridging entity nucleic acid second portion, and one or more polynucleotides which have been chemically modified or artificially altered;

cont
wherein the ratio of the nucleic acid sequences or segments in the second portion to the first portion of the molecular bridging entity is selected from a number greater than 5 and a number greater than 10; or

wherein one or both the ratio of the nucleic acid sequences or segments in the second portion to the first portion of the molecular bridging entity and the ratio of the one or more chemically modified or artificially altered polynucleotides to the nucleic acid portion in any or all of the signalling entities is selected from a number greater than 1, a number greater than 5 and a number greater than 10. --

Sub
H5
-- 485. (NEW) A kit for the detection in a sample of an analyte having one or more molecularly recognizable portions thereon, comprising as components thereof: a complex which comprises:

a molecular bridging entity comprising a first portion capable of recognizing and binding to or hybridizing with a molecularly recognizable portion on an analyte, and a second portion comprising one or more nucleic acid sequences or segments; and

more than one signalling entity, each such entity comprising a nucleic acid portion capable of binding to or hybridizing with said bridging entity nucleic acid second portion to form a polynucleotide hybrid, and one or more polynucleotides which have been chemically modified or artificially altered;

wherein the ratio of the nucleic acid sequences or segments in the second portion to the first portion of the molecular bridging entity is selected from a number greater than 5 and a number greater than 10; or

wherein one or both the ratio of the nucleic acid sequences or segments in the second portion to the first portion of the molecular bridging entity and the ratio of the one or more chemically modified or artificially altered polynucleotides to the nucleic acid portion in any or all of the signalling entities is selected from a number greater than 1, a number greater than 5 and a number greater than 10. --

-- 486. (NEW) The kit of any of claims 479, 480, 481, 482 or 483, wherein said signal generating portion is carried in a separate container from the container carrying the signalling entity comprising a nucleic acid portion capable of binding to or hybridizing with said bridging entity nucleic acid second portion. --

-- 487. (NEW) The kit of claims 484 or 485, wherein said one or more chemically modified or artificially altered polynucleotides are carried in a separate container from the container carrying the signalling entity comprising a nucleic acid portion capable of binding to or hybridizing with said bridging entity nucleic acid second portion. --

-- 488. (NEW) A kit for use in carrying out the process of claim 443, said kit comprising as components thereof the first part and the second part of the composition provided in said process. --

-- 489. (NEW) A kit for use in carrying out the process of claim 444, said kit comprising as components thereof said complex provided as a composition in said process. --

44
cont
-- 490. (NEW) A kit for use in carrying out the process of claim 445, said kit comprising as components thereof said first part and said second part provided as a composition in said process. --

-- 491. (NEW) A kit for use in carrying out the process of claim 446, said kit comprising as components thereof said complex provided as a composition in said process. --

-- 492. (NEW) A kit for use in carrying out the process of claim 447, said kit comprising as components thereof said first part and said second part provided as a composition in said process. --

-- 493. (NEW) A kit for use in carrying out the process of claim 448, said kit comprising as components thereof said complex provided as a composition in said process. --

-- 494. (NEW) A kit for use in carrying out the process of claim 449, said kit comprising as components thereof said first part, said second part and said third part provided as a composition in said process. --

-- 495. (NEW) A kit for use in carrying out the process of claim 450, said kit comprising as components thereof said complex provided as a composition in said process. --

-- 496. (NEW) A kit for use in carrying out the process of claim 451, said kit comprising as components thereof said first part, said second part and said third part provided as a composition in said process. --

494
cont
-- 497. (NEW) A kit for use in carrying out the process of claim 452, said kit comprising as components thereof said complex provided as a composition in said process. --

-- 498. (NEW) A kit for use in carrying out the process of claim 453, said kit comprising as components thereof said first part, said second part and said third part provided as a composition in said process. --

-- 499. (NEW) A kit for use in carrying out the process of claim 454, said kit comprising as components thereof said complex provided as a composition in said process. --

-- 500. (NEW) A kit for use in carrying out the process of claim 455, said kit comprising as components thereof said first part and said second part provided as a composition and said solid support in said process. --

-- 501. (NEW) A kit for use in carrying out the process of claim 456, said kit comprising as components thereof said complex provided as a composition and said solid support in said process. --

-- 502. (NEW) A kit for use in carrying out the process of claim 457, said kit comprising as components thereof said first part and said second part provided as a composition and said solid support in said process. --

503
504
505
-- 503. (NEW) A kit for use in carrying out the process of claim 458, said kit comprising as components thereof said composition provided and said solid support in said process. --

-- 504. (NEW) A kit for use in carrying out the process of claim 459, said kit comprising as components thereof said first part and said second part provided as a composition and said solid support in said process. --

-- 505. (NEW) A kit for use in carrying out the process of claim 460, said kit comprising as components thereof said complex provided as a composition and said solid support in said process. --

* * * * *